

## Appendix 1

### Percentage of all patients in Dorset PCT receiving NICE recommended care processes by care process type

		All diabetes			Type 1			Type 2		
		2009-2010	2010-2011	2011-2012	2009-2010	2010-2011	2011-2012	2009-2010	2010-2011	2011-2012
HbA1cb	CCG/LHB	94.1%	94.1%	91.6%	89.5%	90.2%	88.4%	95.1%	94.9%	92.3%
	England & Wales	92.1%	92.5%	90.3%	85.7%	86.0%	83.0%	93.2%	93.5%	91.3%
Blood pressure	CCG/LHB	95.6%	95.4%	95.1%	91.4%	90.7%	90.8%	96.3%	96.1%	95.8%
	England & Wales	95.2%	95.0%	95.0%	88.9%	88.7%	88.4%	96.1%	95.9%	95.8%
Cholesterol	CCG/LHB	93.2%	92.8%	92.1%	85.9%	86.1%	84.2%	94.4%	93.9%	93.2%
	England & Wales	91.7%	91.6%	90.9%	79.1%	78.8%	77.8%	93.2%	93.1%	92.4%
Serum creatinine	CCG/LHB	94.7%	94.4%	94.2%	88.2%	87.9%	87.2%	95.6%	95.3%	95.0%
	England & Wales	92.5%	92.5%	92.5%	81.0%	81.2%	81.1%	93.9%	93.8%	93.8%
Urine albumin	CCG/LHB	81.6%	80.1%	80.5%	67.5%	62.9%	64.5%	83.6%	82.5%	82.5%
	England & Wales	72.3%	75.1%	76.0%	56.2%	58.4%	59.2%	74.3%	77.1%	77.9%
Foot surveillance	CCG/LHB	86.6%	85.5%	86.9%	77.3%	74.0%	76.7%	88.2%	87.2%	88.4%
	England & Wales	84.1%	84.3%	85.3%	71.7%	71.5%	72.8%	85.9%	86.1%	87.0%
BMI	CCG/LHB	90.9%	90.1%	91.1%	86.5%	85.3%	89.2%	91.6%	91.0%	91.5%
	England & Wales	90.1%	89.9%	90.3%	83.6%	83.4%	83.7%	91.1%	90.8%	91.3%
Smoking	CCG/LHB	89.3%	86.4%	86.8%	86.1%	84.8%	84.4%	89.8%	86.8%	87.2%
	England & Wales	86.9%	84.8%	85.1%	80.8%	78.6%	79.0%	87.7%	85.7%	85.9%
Eight care processes	CCG/LHB	70.9%	67.4%	67.0%	54.9%	50.7%	49.7%	73.2%	69.9%	69.2%
	England & Wales	59.4%	60.6%	60.5%	42.4%	43.3%	43.2%	61.6%	62.8%	62.6%

Source: National Diabetes Audit 2011/12: Report 1: Care Processes and Treatment Targets  
(Eye screening was excluded due to issues with the data. There were no data issues for eye screening in Dorset)